




Double DIN Installation Manual

colour / part-no.:
piano-black / 381210-16-1

- Nissan Micra (K13 Facelift) 09/2013->
- Nissan Note (E12) 10/2013->

Compatible with double DIN devices



- (1) Facia Plate
- (2) Mounting bracket right
- (3) Mounting bracket left
- (4) flat headed screw
- (5) self-tapping screw with collar

*All installation work must be performed by a qualified professional installer only.
The manufacturer / dealer is not liable for any kind of incidental or indirect damages.*

Nissan Micra



1. Unclip OEM bezel (see arrows)




2. Unplug plug and remove carefully



3. Remove 4 screws of OEM head unit

Nissan Note

7. Cut away 6 plastic hooks (plain to surface) at the rear side of OEM bezel




8. Connect cables and place OEM bezel over double DIN head unit to finish installation



Nissan Note



4. Pull OEM head unit towards your direction and unplug cables carefully. Remove OEM head unit




5. Mount facia plate and mounting frames to double DIN head unit




6. Connect all required circuit points

Place double DIN head unit on dashboard and fix it with 4 screws



Nissan Micra



4. Pull OEM head unit towards your direction and unplug cables carefully. Remove OEM head unit



5. Mount facia plate and mounting frames to double DIN head unit



6. Connect all required circuit points

Place double DIN head unit on dashboard and fix it with 4 screws

Nissan Micra

7. Cut away 6 plastic hooks (plain to surface) at the rear side of OEM bezel




8. Connect cables and place OEM bezel over double DIN head unit to finish installation

Nissan Note

1. Unclip and remove OEM bezel (see arrows)



2. Unplug hazard light switch carefully (see arrow)



3. Remove 4 screws of OEM head unit

